

## **Girls' Programming Network**

# **Password Cracker**

In this workbook, you will be getting salty with your hashed passwords!

## **TUTORS ONLY**

# This project was created by GPN Australia for GPN sites all around Australia!

This workbook and related materials were created by tutors at:

Sydney, Perth and Canberra



## Girls' Programming Network

If you see any of the following tutors don't forget to thank them!!

#### Writers

#### Testers

Alex McCulloch Renee Noble Caitlin Shaw Taylah Griffiths Manou Rosenberg



# Part 0: Setting up

We are going to be looking at how to make hashes more secure by "salting" our passwords.

#### Task 0.1: Back to the beginning

Let's get started by opening the file we worked on in the first workbook.

#### Task 0.2: Getting the text files.

Make sure you download the file called "salty-accounts.txt" and add it to the folder we made in the previous workbook.

## 

#### If you can tick all of these off you can go to Part 1:

└ You should have the file from the first workbook open (main.py).

└ You have a folder called rainbow\_tables

☐ You have 3 .txt files in your folder common\_passwords, accounts and salty-accounts



# Part 1: Creating Salted Hashed Passwords

The idea of adding a salt is primarily to make it harder for rainbow tables to guess your passwords, even if you have a common one. To add a salt, we select a string to be the "salt" and add it to the end of a password before encoding

#### Task 1.1: Adding salt

Add two variables below the import statement:

- 1. One called salt with a value of "salty" % f(x) = f(x) + f(x)
- 2. The other is called correct with a value of "The ship sails at midnight" and salt (both strings added together).

#### Task 1.2: Encoding correct

Using the same encode method we used for guess, encode the variable correct, calling it correct\_encoded.

#### Task 1.3: Hashing correct

Using the same hash and digest method we used for guess, hash and digest the variable correct, calling it correct\_salted\_hash.

## 

#### If you can tick all of these off you can go to Part 2:

- Imported hashlib
- Created salt and correct variables
- Encoded correct
- Hashed and digested correct
- Try running your code!

```
Their code should look like this:
import hashlib
salt = "salty"
correct = "The ship sails at midnight" + salt
correct_encoded = correct.encode()
correct_salted_hashed = hashlib.md5(correct_encoded).digest()
correct_hashed = b'\xcc\xd6R\x16\xb9\x1bP~1K\x01\x0e\x063\x10\xec'
guess = input("What is the passphrase? ")
guess_encoded = guess.encode()
guess_hashed = hashlib.md5(guess_encoded).digest()
if guess_hashed == correct_hashed:
    print("Welcome to the club!")
else:
    print("Go away!")
```

Note: this code should be in main.py



## **Part 2: Saving Salted Hash**

#### Task 2.1: Changing the saved hash

Print out the value of correct\_salted\_hash and copy it into the correct\_hashed variable, replacing the old hash value. Then you can delete the print statement you just wrote.

#### Task 2.2: Removing Lines

In this task we will be deleting some lines of code - we are deleting these so we do not have our correct password visible to anyone who could read our code!

Remove the lines from the last pass that helped you make the salted hash. Make sure you don't delete the salt variable.

#### Task 2.3: Comparing salty things

To compare the guess with the correct answer, we need to add the salt to the guess as well!

Before you encode the guess, add the salt to it.

## CHECKPOINT I

#### If you can tick all of these off you can go to Part 3:

- Changed the variable name and value
  - ☐ Removed the lines of code
  - Added salt to the guess as well
  - Run your code!



Their code should look like this:

```
import hashlib
salt = "salty"
correct_hashed = b'\xae\xbc\xe9f\xd1%Q\x8a\xf2\xfd\xba\xb2\x922`\xa5'
guess = input("What is the passphrase? ")
guess = guess + salt
guess_encoded = guess.encode()
guess_hashed = hashlib.md5(guess_encoded).digest()
if guess_hashed == correct_hashed:
    print("Welcome to the club!")
else:
    print("Go away!")
Note: this code should be in main.py
```



# Part 3: Printing Salt!

We're going to try and guess the salt that is being used by coming up with every possible salt (to make this easier we know that the salt is a number between 1000 and 9999 but in the real world it would be very long and include letters and symbols) and trying to see if we can crack a password with each salt - if we can crack one, then we know that's the salt that is being used (again, to make this easier we're telling you that `password` is definitely being used by at least one user).

#### Task 3.1: Loop through salt

Create a new file for this code. Call it **salty\_guesser.py** In this new file, loop through the numbers in the range of 1000-9999 and print out each one.

#### **Hint**

To print out number in the range of 1-10 you would write:

for number in range(1, 10):
 print(number)

### **☑** CHECKPOINT **☑**

If you can tick all of these off you can go to Part 4:

□ Create a new file that contains a for loop

Print out each possible salt

Run your code!

#### **TUTOR TIPS**

Their code should look like this:

```
for salt in range(1000, 9999):
    print(salt)
```

Note: this code should be in salty\_guesser.py

## Part 4: Saving a file to list!

This part should be done above the for loop created in the previous part.

#### Task 4.1: Creating a list

Create an empty list called salted passwords.

#### Task 4.2: Open file and create a for loop

Open the file called *salty-accounts.txt* in a for loop so you can read each line.

#### **Hint**

If you've forgotten how to do this, have a look at your code from Workbook 2!

Tasks 4.3 - 4.6 will be written underneath this for loop.

#### Task 4.3: Strip the whitespace from each line

Use the .strip() method to remove the whitespace from each line.

sa

#### Task 4.4: Split each line at the comma

Next, we want to use the .split() method to split the account name away from the account's hashed password at the comma, and store it in a list called account.

#### Task 4.5: Add a password\_hash variable

Put the second value from account into a variable called password\_hash.

#### Task 4.6: Append to salted\_passwords

Append password\_hash to the list called salted\_passwords.

#### Hint

To append something to a list we can use code like this:

```
pets = ["Emmy", "Saphira", "BiBi"]
```

```
pets.append("Artemis")
```



# If you can tick all of these off you can go to Part 5: Create an empty list Create a for loop Inside the for loop you: Stripped each line of whitespace Split each line at the comma Put each password\_hash into a variable Appended password\_hash to salted\_passwords

#### **TUTOR TIPS**

Their code should look like this:

salted\_passwords = []
for line in open("salty-accounts.txt"):
 line = line.strip()
 account = line.split(",")
 password\_hash = account[1]
 salted\_passwords.append(password\_hash)
for salt in range(1000, 9999):
 print(salt)

Note: this code should be in salty\_guesser.py



# Part 5: Checking hash is salt

This entirety of the task is done underneath the for loop that is looping through possible salts

#### Task 5.1: Creating possible\_salted

Create a variable called *possible\_salted* with a value of "password" and add the salt number to the end of "password" (make sure you change it to a string!)

#### Hint

```
To change a number into a string, use this code:
age = 17
birthday = "Happy Birthday! You are " + str(age) + " years old!"
```

#### Task 5.2: Creating possible\_encoded

Create a variable called <code>possible\_encoded</code> with a value of <code>possible\_salted</code> encoded.

#### Hint

Remember to import hashlib in this file!

#### Task 5.3: Hash and digest possible\_encoded

Create a variable called <code>possible\_hashed</code> with a value of <code>possible\_encoded</code> hashed and digested. Then make this variable a string!

#### Task 5.4: Check if possible\_hashed in salted\_passwords

Use an if statement to check if possible\_hashed is in salted\_passwords. Under that if statement, print salt, then break from the loop. If it isn't in salted\_passwords then we know this isn't the salt, and the loop can keep going

## 

#### If you can tick all of these off you can go to Part 6:

- Created *possible\_salted* 
  - ☐ Created possible\_encoded
  - Created *possible\_hashed*
  - Created if statement
  - Printed salt



```
Their code should look like this:
import hashlib
salted_passwords = []
for line in open("salty-accounts.txt"):
    line = line.strip()
    account = line.split(",")
    password_hash = account[1]
    salted_passwords.append(password_hash)
for salt in range(1000, 9999):
    possible_salted = "password" + str(salt)
    possible_encoded = possible_salted.encode()
    possible_hashed = str(hashlib.md5(possible_encoded).digest())
    if possible_hashed in salted_passwords:
        print(salt)
        break
```

# Part 6: Adding to Rainbow Table

Adding the salt to our old rainbow table code. This part should all be written in our rainbow table python file from Workbook 2

#### Task 6.1: Create salt

At the top of the file, create a variable called salt with the number value that you found in the last part as a string.

#### Task 6.2: Add salt

Inside the first for loop, before we encode each password add the  ${\tt salt}$  to the  ${\tt password}$ 

#### Task 6.3: Changing the file

In the second for loop, instead of opening "accounts.txt", open "salty-accounts.txt".

## **☑** CHECKPOINT **☑**

If you can tick all of these off you can go to Part 7:

- Added the salt to each password
  - Using salty-accounts instead of the normal accounts file
  - Run your code!

```
Their code should look like this:
import hashlib
rainbow = \{\}
salt = "7549"
for line in open("common-passwords.txt"):
    password = line.strip()
    password = password + salt
    password encoded = password.encode()
    password hash = hashlib.md5(password encoded)
    password hash = str(password hash.digest())
    rainbow[password hash] = password
for line in open("salty-accounts.txt"):
    line = line.strip()
    account = line.split(",")
    name = account[0]
    password hash = account[1]
    if password hash in rainbow:
        print(name)
        print(rainbow[password hash])
```

Note: this code should be in rainbow.py



# 7. Extension: Finding Secrets

#### Task 7.1: Secrets!

Using the accounts and passwords you found before, go to the following link to find secrets on the website!

https://girls-programming-network.github.io/meme-exchange/

