



## Girls' Programming Network

# *Password Cracker*

*In this workbook, you will learn how to encode plaintext using a hash function and compare it with a stored passphrase for authentication!*

**TUTORS ONLY**

**This project was created by GPN Australia for GPN sites all around Australia!**

**This workbook and related materials were created by tutors at:**

Sydney and Perth



Girls' Programming Network

***If you see any of the following tutors don't forget to thank them!!***

**Writers**

Alex McCulloch  
Renee Noble  
Caitlin Shaw  
Taylah Griffiths  
Rama Kaorma

**Testers**

Sheree Pudney  
Manou Rosenberg

# Part 0: Setting up

## Task 0.1: Making a python file

1. Go to <https://replit.com/>
2. Sign up or log in  
(we recommend signing in with Google if you have a Google account)

## Task 0.2: Making a python file

1. **Create** a new project
2. Select **Python** for the template
3. Name your project **password\_cracker**

### TUTOR TIPS

Make sure the AI is turned off (the slides should prompt them)

## Task 0.3: You've got a blank space, so write your name!

At the top of the file use a comment to write your name!  
Any line starting with # is a comment.

```
# This is a comment
```

### ✔ CHECKPOINT ✔

**If you can tick all of these off you can go to Part 1:**

- You should have a file called main.py
- Your file has your name at the top in a comment
- Run your file and it does nothing!

### TUTOR TIPS

The code should look like this (no bonuses):

```
# <the student's name>
```

# Part 1: Welcome to Passphrases

## Task 1.1: Welcome to Passphrases

A passphrase is a sentence that has meaning for you and therefore easier to remember than a password.

One example of a passphrase is: "The ship sails at midnight"

We use passphrases rather than passwords as they are longer than passwords and therefore more secure.

Let's make a variable called `correct` that stores a passphrase. This can be any sentence you like!

### Hint

To create variable called `favourite` and store a string in it:

```
favourite = "Chocolate"
```

## Task 1.2: What is the passphrase?

Let's guess what the passphrase is!

Use `input` to ask the user for their guess. Store their answer in a variable called `guess` so we can use it in our code!

```
What is the passphrase?
```

### Hint

To find out someone's favourite ice-cream and store it in a variable called `favourite`

```
favourite = input("What is your favourite ice-cream? ")
```

### Task 1.3: Let's see!

Now that we know the user's guess, let's `print` out the correct passphrase and the guess.

For example, here is what your code might look like when you run it:

```
What is the passphrase? My guess passphrase
The ship sails at midnight
My guess passphrase
```

#### Hint

Remember to use the `guess` variable that you made in Task 1.2!

To print `Hello` we would use this code: `print("Hello")`

### ✓ CHECKPOINT ✓

**If you can tick all of these off you can go to Part 2:**

- Create a variable storing the passphrase
- Ask for the passphrase
- Print the correct passphrase
- Print the guessed passphrase
- Try running your code!

### TUTOR TIPS

**The code should look like this (no bonuses):**

```
# <the student's name>

correct = "The ship sails at midnight"
guess = input("What is the passphrase? ")

print(correct)
print(guess)
```

# Part 2: Is the guess correct?

If  
Statements

## Task 2.1: Check if they have guessed correctly!

Use **if** and **else** statements to tell the user whether they have made the right guess.

You should welcome them if they got it right:

```
What is the passphrase? The ship sails at midnight  
Welcome to the club!
```

### Hint

In the **if** statement, compare the user's guess with the passphrase you chose. Don't forget to use **==** .

To check if someone guessed my favourite fruit

```
guess= "apple"  
if guess == "banana":  
    print("I love bananas!")
```

### TUTOR TIPS

**Some students may use a single equal sign to test for equality. Make sure they are using double equals!**

## Task 2.2: And if they got it wrong!

Under your **if** statement, add an **else** statement to tell the user when they made the wrong guess.

You should tell them to go away if they have guessed wrong, like below:

```
What is the passphrase? At midnight the ship sails  
Go away!
```

### Hint

This is what an **if** and **else** statement looks like!

```
guess= "apple"  
if guess == "banana":  
    print("I love bananas!")  
else:  
    print("I don't like that fruit")
```

## Task 2.3: Stop printing

Now that we have our `if` and `else` statements, we don't need to print out the `correct` and `guess` variables anymore. You can delete those two `print` lines, or you can comment them out.

### Hint

To comment out a line of code you can add a `#` like this:

```
# print("something")
```

## ✓ CHECKPOINT ✓

**If you can tick all of these off you can go to Part 3:**

- Welcome them if they got the passphrase correct
- Tell them to go away if they are wrong
- Run your code and test different guesses
- Your code doesn't print out the guess or correct passphrases

## TUTOR TIPS

The code should look like this (no bonuses):

```
# <the student's name>

correct = "The ship sails at midnight"
guess = input("What is the passphrase? ")

if guess == correct:
    print("Welcome to the club!")
else:
    print("Go away!")
```

# Part 3: What is Hashing?

## Task 3.1: Hash a word by hand (no code for this part!)

### First hash function

Replace each letter with its place in the alphabet:

**G P N**

Now add the numbers together:

Every time we follow this process for the acronym 'GPN', we will get the same number!

Now try hashing this word:

**P N G**  
    
=

What number did you get? Is this a good thing? What happened here is called a collision!

### Second hash function

Now try again but this time multiply the letter's place in the alphabet by its place in the word:

**G P N**  
    
=

**P N G**  
    
=

What do you notice?

### *Hint*

You can use the table below to help find what number in the alphabet a letter is:

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26



### Task 3.2: Hash your name

Follow the same process as the second hash function and try to hash your name!

### ★ Bonus 3.3: Does Method 2 always work? ★

Can you find a word that collides with GPN using our second hash function?

#### *Hint*

Collision is when 2 different words are hashed to the same number.

### ☑ CHECKPOINT ☑

**If you can tick all of these off you can go to Part 4:**

- Found the hash of GPN and PNG for both methods
- Found the hash value of your name

## TUTOR TIPS

### First hash function

Replace each letter with its place in the alphabet:

$$\begin{array}{ccc} \mathbf{G} & \mathbf{P} & \mathbf{N} \\ \boxed{7} & \boxed{16} & \boxed{14} \\ & = & \\ & \boxed{37} & \end{array}$$

Now try hashing this word:

$$\begin{array}{ccc} \mathbf{P} & \mathbf{N} & \mathbf{G} \\ \boxed{16} & \boxed{14} & \boxed{7} \\ & = & \\ & \boxed{37} & \end{array}$$

What number did you get? Is this a good thing? What happened here is called a collision! **We got the same number for two different words. No it's not.**

### Second hash function

Now try again but this time multiply the letter's place in the alphabet by its place in the word:

$$\begin{array}{ccc} \mathbf{G} & \mathbf{P} & \mathbf{N} \\ \boxed{7 \times 1} & \boxed{16 \times 2} & \boxed{14 \times 3} \\ & = & \\ & \boxed{81} & \end{array}$$

$$\begin{array}{ccc} \mathbf{P} & \mathbf{N} & \mathbf{G} \\ \boxed{16 \times 1} & \boxed{14 \times 2} & \boxed{7 \times 3} \\ & = & \\ & \boxed{65} & \end{array}$$

What do you notice?

**Different numbers for different words.**

# Part 4: Let's hash our code!

## Task 4.1: Import the hash library

First we need to import the python library that has pre-made hashing functions - this makes our life easier as we can use code that has been written by other people!

At the very top of your code add the following line:

```
import hashlib
```

This tells our code to look for and use the hashlib library.

## Task 4.2: Encode our passphrase

After we set the `correct` variable, create a new variable called `correct_encoded` and set it to encode `correct` using the hashlib library.

### Hint

To encode a variable, you use the following code (replace `variable_name` with the variable you want to use):

```
name_encoded = name.encode()
```

## TUTOR TIPS

Make sure they are hashing the `correct` variable and not the `guess`.

## Task 4.3: Time to hash the passphrase!

Create a new variable called `correct_hashed`. Hash the `correct_encoded` variable and store it in `correct_hashed`.

### Hint

To hash a variable, you use the following code (replace `variable_name` with the variable you want to use):

```
name_hashed = hashlib.md5(name_encoded).digest()
```

Remember that hashlib is the library, md5 is the hashing algorithm and digest is what shows us what the hash is.

## TUTOR TIPS

Make sure they are hashing the `correct_encoded` variable and not the `correct` variable or the `guess`.

## Task 4.4: Print the hashed passphrase

Now that we have hashed the passphrase, let's `print` it so we can see what it looks like!

Once you run your code, copy the printed passphrase to a text file or add it as a comment in your code to save it for use in the next part.

### Hint

The hash should look something like this:

```
b'\xcc\xd6R\x16\xb9\x1bP~1K\x01\x0e\x063\x10\xec'
```

Remember that you can save code as a comment like this:

```
#this is a comment
```

## TUTOR TIPS

If the students get something like this as the hashed passphrase:  
<md5 \_hashlib.HASH object @ 0x0000017CEF74ABF0>  
then they accidentally omitted `.digest()`

## ✔ CHECKPOINT ✔

**If you can tick all of these off you can go to Part 5:**

- Encoded your passphrase
- Hashed your passphrase
- Printed the hashed passphrase
- Run your code!
- Copied the printed hash to a text file or comment to use later

## TUTOR TIPS

The code should look like this (no bonuses):

```
# <the student's name>

import hashlib

correct = "The ship sails at midnight"
guess = input("What is the passphrase? ")

correct_encoded = correct.encode()
correct_hashed = hashlib.md5(correct_encoded).digest()
print(correct_hashed)

# b'\xcc\xd6R\x16\xb9\x1bP~lK\x01\x0e\x063\x10\xec'

if guess == correct:
    print("Welcome to the club!")
else:
    print("Go away!")
```

**Note:** the value of the hash will be different if they used a different passphrase

## Part 5: Making our code secure.

At the moment if someone looks at our code they can see the passphrase written there - that isn't very secure!

To fix this we will store the hash of our passphrase only so that if someone sees our code they can't read the passphrase.

### Task 5.1: Replace the string with a hash

Delete the variable `correct` - replace it with a variable called `correct_hash`.

Store the hash you copied in the previous part to this variable.

#### Hint

Remember that the hash should look something like this:

```
correct_hashed = b'\xcc\xd6R\x16\xb9\x1bP~1K\x01\x0e\x063\x10\xec'
```

### TUTOR TIPS

The code for Task 5.1 should change from

```
correct = "The ship sails at midnight"
```

to:

```
correct_hashed = b'\xcc\xd6R\x16\xb9\x1bP~1K\x01\x0e\x063\x10\xec'
```

### Task 5.2: Delete extra code

Now that we have saved our hashed passphrase, we can delete the code we wrote in the last part.

Delete the line where we create the `correct_encoded` variable and the line where we create the `correct_hashed` variable and the line where we `print` the hashed value.

### Task 5.3: Encode the guess

Create a new variable called `guess_encoded`. Store the encoded value of our `guess`!

#### Hint

If you've forgotten how to do this, have another look at Part 4!

### Task 5.4: Hash the guess

Create a new variable called `guess_hashed`. Store the hashed value of our encoded guess.

#### Hint

If you've forgotten how to do this, have another look at Part 4!

### Task 5.5: Compare the hashes

Change your `if` statement to compare the `guess_hash` variable and `correct_hash` variable instead of the `guess` and `hash` variables. Make sure the `if` statement comes after all the hash code!

## ✓ CHECKPOINT ✓

**If you can tick all of these off you can go to the extension:**

- Remove the `correct` variable
- Encode the guess and store it in the variable `guess_encoded`
- Hash the guess and store it in the variable `guess_hashed`
- Change your `if` statement to compare hashes instead of strings
- Run your code!

## TUTOR TIPS

The code should look like this (no bonuses):

```
# <the student's name>

import hashlib

correct_hash = b'\xcc\xd6R\x16\xb9\x1bP~lK\x01\x0e\x063\x10\xec'
guess = input("What is the passphrase? ")

guess_encoded = guess.encode()
guess_hash = hashlib.md5(guess_encoded).digest()

if guess_hash == correct_hash:
    print("Welcome to the club!")
else:
    print("Go away!")
```

# Extension 6: Let's get Cracking!

Here is a list of the 10 most common passwords. However, we only have the hashes and forgot to write down what the plain password is! In this part, you will use your python program from parts 0 to 5 to figure what the plain text for each hash is.

Plain text	Username	Hash
1234	James	b'\x81\xdc\x9b\xdbR\xd0M\xc2\x006\xdb\xd81>\xd0U'
ashley	Robert	b"\xad\xfd\xc5\x10/\xca'\x9f\xceY\xab\xfo\xee"
123456789	John	b'%\xf9\xe7\x942;E8\x85\xf5\x18\x1f\x1bbM\x0b'
freedom	Joseph	b'\xd5\xaa\x17)\xc8\xc2S\xe5\xd9\x17\xa5&HU\xea\xb8'
monkey	Andrew	b'\xd0v>\xda\xa9\xd9\xbd*\x95\x16(\x0e\x90D\xd8\x85'
michael	Ryan	b'\n\xcfE9\xa1K:\xa2}\xee\xb4\xcb\xdfn\x98\x9f'
11111111	Brandon	b'\x1b\xbd\x88d'\x82p\x15\xe5\xd6\x05\xedD%"Q'
Qazwsx	Jason	b'vA\x9cXs\r\x9f5\xdez\xc58\xc2\xfdg7'
starwars	Sarah	b'[\xad\xca\xf7\x89\xd3\xd1\xd0\x97\x94\xd8\xfo!\xf4\x0f\x0e'
Password	Amber	b"_M\xcc;Z\xa7e\xd6\x1d\x83'\xde\xb8\x82\xcf\x99"

Each of these hashes will match one of these plain text passwords:

monkey	11111111	qazwsx	ashley
password	freedom	michael	starwars
	123456789	1234	

## Task 6.1: What is the password?

Go back to the website for today's workshop. In your room folder, you should be able to find a text file called `account_info.txt` with the list of the hashes provided above for you to copy and paste into your python program for convenience.

For each hash given above, see if you can use the code you made today to work out the hash of each of the possible plain passwords and match them up!

Once you figure out a username and password pair, try putting it into the Meme Exchange website.